

Please type a plus sign (+) inside this box →

Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE

Under the paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No.

03-DV-7038

First Named Inventor or Application Identifier

Lester B. Ashe, Jr., Timothy W. Cao
Michael A. Cook, Son Cao Huynh
Laura A. Leany

Title

METHODS AND APPARATUS FOR ATTACHING A GRILL TO A MOTOR

Express Mail Label No.

EL048588170US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages **10**]
(Preferred arrangement set forth below)
- Descriptive title of the invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the invention
 - Brief Summary of the invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) Total Sheets **2**
4. Oath or Declaration Total Pages **4**
- a. ☒ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
- i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named
in the prior application, see 37 CFR 1.63(d)(2) and
1.33(b).
5. ☐ Incorporation by Reference (useable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the
oath or declaration is supplied under Box 4b, is considered as being part
of the disclosure of the accompanying application and is hereby
incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission
(If applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☒ Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application,
(PTO/SB/09-12) Status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
16. ☒ Other Express Mail Certificate

*NOTE FOR ITEMS 1 & 14: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL
ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR
APPLICATION IS RELIED UPON (37 C.F.R. § 1.28)

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

- ☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.
Prior application information. Examiner. Group/Art Unit

18. CORRESPONDENCE ADDRESS

Customer Number or Bar Code Label

or

Correspondence address below

(Insert Customer No. or Attach bar code label here)

NAME	John S. Beulick, Esq.				
ADDRESS	Armstrong Teasdale, LLP One Metropolitan Square, Suite 2600				
CITY	St. Louis	STATE	Missouri	ZIP CODE	63102
COUNTRY	USA	TELEPHONE	314-621-5070	FAX	

Name (Print/type)	Patrick W. Rasche	Registration No. (Attorney/Agent)	37,916
Signature	<i>Patrick W. Rasche</i>	Date	July 17, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

**CERTIFICATE OF MAILING BY EXPRESS MAIL TO
THE COMMISSIONER OF PATENTS AND TRADEMARKS**



Express Mail mailing label number: **EL048588170US**

Date of Mailing: July 17, 2000

I certify that the attached utility patent application claiming priority of provisional application number 60/173,164 filed December 27, 1999, of LESTER B. ASHE, JR., TIMOTHY W. CAREY, MICHAEL A. COOK, SON CAO HUYNH, AND LAURA A. LEANY, for METHODS AND APPARATUS FOR ATTACHING A GRILL TO A MOTOR, including:

- Six (6) pages of specification; three (3) pages of claims; one (1) page of abstract
- Assignment Recordation Form (1 page, in duplicate)
- Assignment of Lester B. Ashe, Jr., Timothy W. Carey, Son Cao Huynh, and Laura A. Leany (3 pages)
- Assignment of Michael A. Cook (3 pages)
- Declaration and Power of Attorney of Lester B. Ashe, Jr., Timothy W. Carey, Son Cao Huynh, and Laura A. Leany (2 pages)
- Declaration and Power of Attorney of Michael A. Cook (2 pages)
- Two (2) sheets of drawings
- Patent Application Transmittal (1 page)
- Fee Transmittal (1 page, in duplicate)
- Certificate of Mailing Via Express Mail (1 page)
- Return post card

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. §1.10 on the date indicated above in an envelope addressed to the Assistant Commissioner for Patents, Box PATENT APPLICATION, Washington, D.C. 20231.

Handwritten signature of Patrick W. Rasche.

Patrick W. Rasche, Reg. No. 37,916
Armstrong, Teasdale, Schlafly & Davis
One Metropolitan Square, Suite 2600
St. Louis, MO 63102
314/621-5070

METHODS AND APPARATUS FOR ATTACHING A GRILL TO A MOTOR

CROSS REFERENCE TO RELATED APPLICATION

This application claims the benefit of U.S. Provisional Application No. 60/173,164, filed December 27, 1999.

BACKGROUND OF THE INVENTION

This application relates generally to motors, and, more particularly, to mounting systems for motors.

5 One type of motor includes an endshield and a motor shell attached together to form a motor housing. Often such motors utilize environmental air for cooling purposes and are thus often mounted adjacent meshed grills. Additionally, because of space constraints and structural considerations, these motors are often mounted directly to grills with mounting systems.

10 Typically the mounting systems include a plurality of bolts attached to and extending from the motor housing. Such mounting systems are covered to prevent inadvertent contact with the bolts. Additionally, the mounting systems are subjected to stresses from supporting the weight of the motor and any associated attachments, i.e. fans, connected to the motor. Vibrations are induced within the
15 mounting systems from motors that are operating. Additionally, vibrations induced within the grill are often transferred to the mounting system. As a result, often the mounting systems loosen and fail.

To prevent such failures, typically the mounting systems include extensive damping systems to minimize the effects of the vibrations. Furthermore,
20 because different motors utilize different motor housings, each motor uses a different mounting system.

BRIEF SUMMARY OF THE INVENTION

In an exemplary embodiment, a motor assembly includes an endshield configured to attach to a grill without any brackets and with a plurality of fasteners. The motor assembly includes a first motor including an endshield and a motor can.
25 The endshield includes a plurality of first openings and a plurality of second openings.

The first openings are sized to receive fasteners for attaching the endshield to the motor can. The second openings are sized to receive fasteners for attaching the endshield to the grill. In one embodiment, the endshield is formed with a plurality of bosses including a center opening sized to receive a fastener. The fastener simultaneously cuts threads within the boss openings and mounts the grill to the motor. The grill is configured to also mount to a second motor. Because the second motor includes openings positioned the same with respect to the grill, a universal grill may be mounted to both motors. The endshield mounting system eliminates a need for mounting systems that include pluralities of bracket. Furthermore, the endshield mounting system eliminates a need for a plurality of grills including different mounting arrangements. As a result, a motor assembly is provided that is reliable and cost-effective.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of an endshield for use with a motor;

Figure 2 is a cross-sectional view of an alternative embodiment of an endshield for use with a motor; and

Figure 3 is an enlarged cross-sectional view of the endshield shown in Figure 2 taken along area 3.

DETAILED DESCRIPTION OF THE INVENTION

Figure 1 is a perspective view of one embodiment of an endshield 40 used in conjunction with a motor (not shown). The motor is used in a variety of applications. In one embodiment, the motor includes a motor housing assembly (not shown) including endshield 40 and a motor can (not shown) and is used in a heating, ventilation, and air conditioning system. In another embodiment, motor endshield 40 is used with a NEMA 48 motor available from General Electric Industrial Systems, Fort Wayne, Indiana and endshield 40 is fabricated from die-cast aluminum. Endshield 40 has a circular bottom 42 and a side wall 44 extending substantially perpendicularly circumferentially from bottom 42. A plurality of first openings 46 are disposed within endshield bottom 42 and have a diameter 48 sized to receive motor fasteners (not shown) to attach endshield 40 to the motor can. In one embodiment, endshield 40 includes four first openings 46. Openings 46 are spaced circumferentially around endshield 40 at a diameter 50 measured with respect to a

center axis (not shown) of the motor. Diameter 50 is smaller than a diameter 52 of endshield 40.

Endshield 40 also includes a plurality of bosses 60 extending from endshield bottom 42 a distance 64. In one embodiment, four bosses 60 are molded with endshield 40. Bosses 60 include a diameter 66 and are positioned at a bolt circle diameter 68 with respect to the center axis of the motor. Bolt circle diameter 68 is smaller than endshield diameter 52 and first opening location diameter 50. In one embodiment, bolt circle diameter 68 is approximately 4.33 inches.

A plurality of second openings 70 are disposed within bosses 60. In one embodiment, endshield 40 includes four openings 70. Second openings 70 include a diameter 72 sized to receive a plurality of fasteners (not shown in Figure 1) for attaching a grill (not shown) to endshield 40. Bosses 60 provide a greater surface area for thread engagement and thus, greater stability for the fasteners. Threads are formed within openings 70 by the fasteners as the fasteners mount the grill to endshield 40. In one embodiment, the fasteners are trilobular thread forming screws. Simultaneously forming the threads within openings 70 helps prevent loosening of the fasteners during operation of the motor.

Figure 2 is a cross-sectional view of an alternative embodiment of an endshield 80 for use with a motor 82. Motor 82 is used in a variety of applications. In one embodiment, motor 82 includes endshield 80 and a motor shell (not shown) and is used in a heating, ventilation, and air conditioning system. In another embodiment, motor 82 is a NEMA 42 motor available from General Electric Industrial Systems, Fort Wayne, Indiana and endshield 80 is fabricated from deep-drawn steel. Endshield 80 has a circular bottom 84 and a side wall 86 extending substantially perpendicularly from bottom 84 and circumscribing bottom 84. A flange 88 extends from endshield bottom 84 and permits endshield 80 to attach to the motor shell. In one embodiment, endshield 80 has a diameter 96 and attaches to the motor shell with a toggle lock (not shown).

Endshield 80 also includes a plurality of openings 100 disposed within endshield bottom 84. Openings 100 extend from an exterior surface 102 of endshield 80 to an interior surface 104 of endshield 80. In one embodiment, endshield 80 includes four openings 100. Each opening 100 has a diameter 106 sized to receive a mounting system 107 which includes a plurality of fasteners 108 for attaching a grill 110 to endshield 80. Grill 110 is configured to attach to a second motor (not shown).

For example, fasteners 108 may also attach grill 110 to endshield 40 (shown in Figure 1). In one embodiment, opening diameter 106 is approximately 0.25 inches. Openings 100 are circumferentially spaced within endshield bottom 84 and are positioned at a bolt circle diameter 112 with respect to a center axis 114 of motor 82.

5 Bolt circle diameter 112 is smaller than endshield diameter 96. In one embodiment, bolt circle diameter 112 is equal bolt circle diameter 68 (shown in Figure 1) and is approximately 4.33 inches.

A plurality of self-clinching nuts 120 are disposed within endshield openings 100. In one embodiment, self-clinching nuts 120 are pressed from within motor cavity 92 into endshield openings 100 prior to endshield 80 attaching to the motor shell. Self-clinching nuts 120 are sized to receive fasteners 108 and provide a threading area for fasteners 108 to secure grill 110 to endshield 80. In one embodiment, self-clinching nuts 120 are made of carbon steel with a zinc clear coating.

10 Figure 3 is an enlarged cross-sectional view of endshield 80 taken along area 4 shown in Figure 3. Openings 100 are defined by an inner wall 130 having a height 131 between endshield exterior surface 102 and interior surface 104. Openings 100 are sized to receive fasteners 108 and self-clinching nuts 120.

Each self-clinching nut 120 is annular and includes a first body portion 132 and a second body portion 134. First body portion 132 extends from second body portion 134 and has an outer diameter 136 smaller than an outer diameter 138 of second body portion 134. First body portion outer diameter 136 is slightly smaller than endshield opening diameter 106. Second body portion outer diameter 138 is larger than opening diameter 106. Accordingly, only self-clinching nut first body portion 132 is sized to be received within endshield opening 100.

20 Additionally, self-clinching first body portion 132 has a thickness 140 extending from a top surface 142 of first body portion 132 to second body portion 134. Thickness 140 is less than opening inner wall height 131. Second body portion 134 extends from first body portion 132 and has a thickness 144 larger than first body portion thickness 140. Second body portion thickness 144 extends between a top surface 150 and a bottom surface 152 of second body portion 134.

30

An opening 160 extends through self-clinching nut 120 and has a diameter 162. Opening diameter 162 is sized to receive fastener 108 and is constant between self-clinching nut top surface 142 and self-clinching nut bottom surface 152.

Each fastener 108 includes a body portion 170 and a head portion 172.

Fastener body portion 170 extends from head portion 172 and has a cylindrical cross-sectional profile and a diameter 174. Fastener body diameter 174 is approximately equal to self-clinching nut opening diameter 162. Fastener head portion 172 has a diameter 176 larger than endshield opening diameter 106. In one embodiment, fasteners 108 are trilobular thread forming screws that form threads within self-clinching nuts 120 while simultaneously securing grill 110 to motor 82.

Grill 110 includes a plurality of openings 180 extending from a top surface 182 to a bottom surface 184 of grill 110. Each opening 180 has a diameter 186 slightly larger than fastener body portion diameter 174 and smaller than fastener head portion diameter 176. Grill opening diameter 186 is constant from grill top surface 182 to grill bottom surface 184. Grill openings 180 are configured to permit grill 110 to either mount to motor 82 or to a second motor (not shown). In one embodiment, grill openings 180 are positioned to mount to any motor including a mounting system 107 including bolt circle diameter 68 or 112.

During assembly of motor 82, self-clinching nut 110 is inserted within endshield opening 100 such that self-clinching nut first body portion 132 enters endshield opening 100 and circumferentially contacts opening inner wall 130 and self-clinching nut second body portion top surface 150 contacts endshield interior surface 104 circumferentially around endshield opening 100. Because first body portion thickness 140 is less than opening inner wall height 131, first body portion top surface 142 remains within endshield opening 100 a distance 200 from grill 110. Endshield 80 is attached with the fasteners to the motor shell to complete the assembly of motor 82. Fastener 108 is inserted through grill opening 180 and is tightened into endshield opening 100 to simultaneously cut threads within self-clinching nut 120 and secure grill 110 to motor 82.

The above described motor endshield mounting system for attaching a grill to a motor assembly is cost-effective and reliable. Each motor includes an endshield including a plurality of attachment points for attaching the endshield to the motor assembly, and a plurality of openings for attaching the endshield to the grill. In each embodiment, the plurality of openings for attaching the endshield to the grill are

positioned at the same bolt circle diameter. The grill is configured to attach to the first motor or the second motor. As a result, endshields are provided which are reliable and cost-effective.

- 5 While the invention has been described in terms of various specific embodiments, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the claims.

WHAT IS CLAIMED IS:

1. A method for mounting a grill to one of a first motor assembly and a second larger motor assembly with a mounting system, the mounting system including a plurality of fasteners, the first motor including an endshield including a plurality of attachment points and a plurality of openings, the attachment points for attaching the endshield to the first motor assembly, the openings for attaching the first motor assembly to the grill, said method comprising the steps of:

attaching the first motor endshield to the motor assembly using the plurality of attachment points; and

attaching the grill to one of the first motor assembly and the second motor assembly using the plurality of openings.

2. A method in accordance with Claim 1 wherein the first motor endshield further comprises a plurality of bosses, the plurality of openings disposed within the plurality of bosses, said step of attaching the grill further comprising the step of inserting the plurality of fasteners through the first motor bosses.

3. A method in accordance with Claim 2 wherein the first motor endshield attachment points include a plurality of second openings disposed within the endshield, said method further comprising the step of simultaneously forming threads within the plurality of first motor first openings with the plurality of fasteners while attaching the grill to the first motor assembly.

4. A method in accordance with Claim 1 wherein the first motor endshield further comprises a plurality of self-clinching nuts, the self-clinching nuts disposed within the plurality of openings, said step of attaching the grill further comprising the step of inserting the plurality of fasteners through the grill into the first motor endshield self-clinching nuts.

5. An endshield for a first motor assembly configured to attach to a grill, the grill configured to attach to one of a first motor assembly and a second larger motor assembly, said endshield comprising:

a plurality of attachment points for attaching said endshield to the first motor assembly; and

a plurality of openings for attaching said endshield to the grill.

6. An endshield in accordance with Claim 5 wherein said plurality of attachment points are disposed at a first diameter, said plurality of openings disposed at a second diameter.

5 7. An endshield in accordance with Claim 6 wherein said first diameter larger than said second diameter.

8. An endshield in accordance with Claim 7 further comprising a plurality of bosses, said plurality of openings disposed within said bosses.

10 9. An endshield in accordance with Claim 7 further comprising a plurality of self-clinching nuts.

10. An endshield in accordance with Claim 9 wherein said plurality of self-clinching nuts are disposed within said plurality of openings

11. A motor assembly comprising:

15 a grill configured to attach to one of a first motor assembly and a second larger motor assembly; and

a first motor comprising an endshield comprising a plurality of attachment points and a plurality of openings, said attachment points configured to attach said endshield to said first motor assembly, said openings configured to attach said first motor endshield to said grill.

20 12. A motor assembly in accordance with Claim 11 wherein said first motor endshield openings are sized to receive a plurality of fasteners for connecting said first motor to said grill.

25 13. A motor assembly in accordance with Claim 12 wherein said first motor endshield attachment points disposed at a first diameter, said first motor endshield openings disposed at a second diameter.

14. A motor assembly in accordance with Claim 13 wherein said first diameter smaller than said second diameter.

15. A motor assembly in accordance with Claim 14 wherein said first motor endshield further comprises a plurality of bosses.

16. A motor assembly in accordance with Claim 15 wherein said first motor endshield openings disposed within said first motor endshield bosses.

5

17. A motor assembly in accordance with Claim 16 wherein said first motor endshield further comprises a plurality of self-clinching nuts.

18. A motor assembly in accordance with Claim 17 wherein said first motor endshield self-clinching nuts disposed within said motor endshield openings.

METHODS AND APPARATUS FOR ATTACHING A GRILL TO A MOTOR

ABSTRACT OF THE DISCLOSURE

A mounting system for a motor assembly includes a plurality of fasteners for mounting a grill to a motor. The motor includes an endshield including a plurality of attachment points for attaching the endshield to the motor assembly and a plurality of openings for attaching the endshield to the grill. The grill is configured to be mounted to one of a first motor assembly and a second motor assembly. The endshield is formed with either a plurality of bosses including openings or a plurality of self-clinching nuts pressed into the plurality of openings.

5

1/2




FIGURE 1

FIGURE 2





FIGURE 3

COMBINED DECLARATION AND POWER OF ATTORNEY

Attorney Docket No.

03-DV-7038

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **METHODS AND APPARATUS FOR ATTACHING A GRILL TO A MOTOR, (Docket No. 03-DV-7038)** the specification of which:

(check one) ☒ is attached hereto
☐ was filed on _____ as Application Serial No. _____,
and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____
_____	_____	_____

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application Serial No.	Filing Date	Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.
60/173,164	December 27, 1999	
_____	_____	
_____	_____	

I hereby appoint Ronald E. Myrick, Reg. No. 26,315; Henry J. Policinski, Reg. No. 26,621; Jay L. Chaskin, Reg. No. 24,030; Henry I. Steckler, Reg. No. 24,139; and James W. Mitchell, Reg. No. 25602, all of General Electric Company, 3135 Easton Turnpike, Fairfield, CT 06431; Carl B. Horton, Reg. No. 34,622; Damian G. Wasserbauer, Reg. No. 34,749; Wayne O. Traynham, Reg. No. 29,872; and Dave S. Christensen, Reg. No. 40,955, all of General Electric Company, 41 Woodford Avenue, Plainville, CT 06062; and John S. Beulick, Reg. No. 33,338 and Patrick W. Rasche, Reg. No. 37,916, all of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102, jointly, and each of them severally, my attorneys and attorney, with full power of substitution, delegation and revocation, to prosecute this application, to make alterations and amendments therein, to receive the patent and to transact all business in the Patent and Trademark Office connected therewith.

I hereby direct that all correspondence and telephone calls in connection with this application be addressed to the said

John S. Beulick, Reg. No. 33,338
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102.
Telephone No. (314) 621-5070.

COMBINED DECLARATION AND POWER OF ATTORNEY

Attorney Docket No.

03-DV-7038

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

SOLE OR FIRST INVENTOR:

Full Name: Lester Bruce Ashe, Jr.Signature: Lester Bruce Ashe, Jr.Date: 5/30/00Residence: Fort Wayne, Indiana 46808Citizenship: USAPost Office Address: 3420 Butler Court, Fort Wayne, Indiana 46808

SECOND JOINT INVENTOR, IF ANY:

Full Name: Timothy Wilbur CareySignature: Timothy Wilbur CareyDate: 5/30/00Residence: Kendallville, Indiana 46755Citizenship: USAPost Office Address: 618 East North Shore Drive, Kendallville, Indiana 46755

THIRD JOINT INVENTOR, IF ANY:

Full Name: Michael Andrew Cook

Signature: _____

Date: _____

Residence: Silver Lake, Indiana 46982Citizenship: USAPost Office Address: 10344 South 200 West, Silver Lake, Indiana 46982

FOURTH JOINT INVENTOR, IF ANY:

Full Name: Son Cao HuynhSignature: Son HuynhDate: 5/30/00Residence: Fort Wayne, IndianaCitizenship: USAPost Office Address: 1215 Foxmoor Run, Fort Wayne, Indiana 46835

FIFTH JOINT INVENTOR, IF ANY:

Full Name: Laura Ann LeanySignature: Laura Ann LeanyDate: 5/30/00Residence: Fort Wayne, Indiana 46835Citizenship: USAPost Office Address: 2706 Northgate Boulevard, Apartment 8, Fort Wayne, Indiana 46835

COMBINED DECLARATION AND POWER OF ATTORNEY**Attorney Docket No.****03-DV-7038**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **METHODS AND APPARATUS FOR ATTACHING A GRILL TO A MOTOR, (Docket No. 03-DV-7038)** the specification of which:

(check one)

☒

is attached hereto

☐

was filed on _____ as Application Serial No. _____,
and was amended on _____.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a).

I hereby claim priority benefits under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.Filing DateStatus (patented, pending, abandoned)

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below:

Application Serial No.Filing Date

Additional provisional application
numbers are listed on a
supplemental
priority sheet attached hereto.

60/173,164December 27, 1999

I hereby appoint Ronald E. Myrick, Reg. No. 26,315; Henry J. Policinski, Reg. No. 26,621; Jay L. Chaskin, Reg. No. 24,030; Henry I. Steckler, Reg. No. 24,139; and James W. Mitchell, Reg. No. 25,602, all of General Electric Company, 3135 Easton Turnpike, Fairfield, CT 06431; Carl B. Horton, Reg. No. 34,622; Damian G. Wasserbauer, Reg. No. 34,749; Wayne O. Traynham, Reg. No. 29,872; and Dave S. Christensen, Reg. No. 40,955, all of General Electric Company, 41 Woodford Avenue, Plainville, CT 06062; and John S. Beulick, Reg. No. 33,338 and Patrick W. Rasche, Reg. No. 37,916, all of Armstrong Teasdale LLP, One Metropolitan Square, Suite 2600, St. Louis, MO 63102, jointly, and each of them severally, my attorneys and attorney, with full power of substitution, delegation and revocation, to prosecute this application, to make alterations and amendments therein, to receive the patent and to transact all business in the Patent and Trademark Office connected therewith.

I hereby direct that all correspondence and telephone calls in connection with this application be addressed to the said

John S. Beulick, Reg. No. 33,338
Armstrong Teasdale LLP
One Metropolitan Square, Suite 2600
St. Louis, MO 63102.
Telephone No. (314) 621-5070.

COMBINED DECLARATION AND POWER OF ATTORNEY**Attorney Docket No.****03-DV-7038**

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application and any patent issued thereon.

SOLE OR FIRST INVENTOR:Full Name: Lester Bruce Ashe, Jr.

Signature: _____ Date: _____

Residence: Fort Wayne, Indiana 46808Citizenship: USAPost Office Address: 3420 Butler Court, Fort Wayne, Indiana 46808**SECOND JOINT INVENTOR, IF ANY:**Full Name: Timothy Wilbur Carey

Signature: _____ Date: _____

Residence: Kendallville, Indiana 46755Citizenship: USAPost Office Address: 618 East North Shore Drive, Kendallville, Indiana 46755**THIRD JOINT INVENTOR, IF ANY:**Full Name: Michael Andrew CookSignature:  Date: 7-11-00Residence: Silver Lake, Indiana 46982Citizenship: USAPost Office Address: 10344 South 200 West, Silver Lake, Indiana 46982**FOURTH JOINT INVENTOR, IF ANY:**Full Name: Son Cao Huynh

Signature: _____ Date: _____

Residence: Fort Wayne, IndianaCitizenship: USAPost Office Address: 1215 Foxmoor Run, Fort Wayne, Indiana 46835**FIFTH JOINT INVENTOR, IF ANY:**Full Name: Laura Ann Leany

Signature: _____ Date: _____

Residence: Fort Wayne, Indiana 46835Citizenship: USAPost Office Address: 2706 Northgate Boulevard, Apartment 8, Fort Wayne, Indiana 46835